



# BABYLA

SATIN STAINLESS STEEL

design **Mariano Moroni**



**10 YEARS WARRANTY**

## MATERIAL:

Vertical collectors in satin stainless steel with  $\varnothing$  of 38 mm.  
Horizontal heating elements in satin stainless steel 30x10 mm.

## FIXING KIT:

Brackets, airvent, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick, installation notice.  
The fixing kit is compliant with VDI 6036 norm, class 4.

## PACKAGING:

The radiator is protected by a film in polyethylene and with a carton box.  
Use and maintenance notice included.

## FEATURES:

It is totally made in stainless steel with an unalterable finishing guaranteed during the years.  
Thermal outputs certified in accredited laboratories in compliance with European norm EN442.

## PRODUCT CERTIFICATES



P. max: 8 bar

T. max: 110° C

Available for central heating systems

Connections: n° 2 x G 1/2" - n° 1 x G 1/2"

## KIT ELITE SATIN STAINLESS STEEL



### KIT ELITE satin

(only for Babyla H 1500)

Art. Nr.  
510200000104

N° 1 mirror

N° 1 shelf for books

(\*) Elegant square satin valve kit pipe centres 50 mm with thermostatic head

N° 2 hanger clothes satin stainless steel  $\varnothing$  20 mm

N° 3 shelves (2 on the left, 1 on the right)

N° 1 antenna for hanging clothes

(\*) Either when buying the "Elite kit" or the single valve, always specify in the order, the connection needed: copper or multilayer. See page 367.

## ACCESSORIES



**Elegant square satin valve kit pipe centres 50 mm with thermostatic head - right**

Copper connection  $\varnothing$  12/14/15  
Art. Nr. 5991990320201  
Multilayer connection  $\varnothing$  16 x2  
Art. Nr. 5991990320200




**Elegant manual square satin valve**

Copper connection  $\varnothing$  12/14/15  
Art. Nr. 5991990320209  
Multilayer connection  $\varnothing$  16 x2  
Art. Nr. 5991990320208



**Kit 2 hooks satin stainless steel**

Art. Nr. 5991990010224





Measures for valves type Cordivari Elegant Square with thermostatic head and pipe centres 50 mm



**Pipe covering kit for Pipe Centres 50 mm - valves satin**

Art. Nr. 5103000000058



Dimensions and volume of the satin elite kit (only for the 1500 mm height version).



H [mm]	A [mm]	B [mm]
<b>650</b>	445	-
<b>1080</b>	397	478
<b>1500</b>	607	688
<b>1745</b>	731	810

## BABYLA SATIN STAINLESS STEEL

Art. Nr.	Height	Width	Pipe Centres	Fixing kit centres	Dry Weight	Surface	Water Content	Thermal output Watt		Exponent n
	H [mm]	L [mm]	I [mm]	F [mm]	[Kg]	[m <sup>2</sup> ]	[lt]	$\Delta t = 50^{\circ}\text{C}$	$\Delta t = 30^{\circ}\text{C}$	
3551730130004	<b>650</b>	600	50	445	5,5	0,51	2,3	167	89	1,2235
3551730130001	<b>1080</b>	600	50	875	8,8	0,83	3,2	250	133	1,2351
3551730130002	<b>1500</b>	600	50	1275	13,3	1,25	4,5	357	187	1,2686
3551730130003	<b>1745</b>	600	50	1540	16,9	1,53	6,0	432	223	1,2904

For output at different  $\Delta t$  than  $50^{\circ}\text{C}$ , please refer to the following formula = dry output = output at  $\Delta t 50^{\circ}\text{C} \times (\text{desired } \Delta t / 50)^n$



# BABYLA

POLISHED STAINLESS STEEL

design **Mariano Moroni**



**10 YEARS** WARRANTY

## MATERIAL:

Vertical collectors in polished stainless steel with  $\varnothing$  of 38 mm.  
Horizontal heating elements in polished stainless steel 30x10 mm.

## FIXING KIT:

Brackets, airvent, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick, installation notice.  
The fixing kit is compliant with VDI 6036 norm, class 4.

## PACKAGING:

The radiator is protected by a film in polyethylene and with a carton box.  
Use and maintenance notice included.

## FEATURES:

It is totally made in stainless steel with an unalterable finishing guaranteed during the years.  
Thermal outputs certified in accredited laboratories in compliance with European norm EN442.

## PRODUCT CERTIFICATES



P. max: 8 bar

T. max: 110° C

Available for central heating systems

Connections: n° 2 x G 1/2" - n° 1 x G 1/2"

## ACCESSORIES



**Elegant square polished valve kit pipe centres 50 mm with thermostatic head - right**

Copper connection  $\varnothing$  12/14/15  
Art. Nr. 5991990301076

Multilayer connection  $\varnothing$  16 x2  
Art. Nr. 5991990301075



**Elegant square manual polished valve kit**


Copper connection  $\varnothing$  12/14/15  
Art. Nr. 5991990301084

Multilayer connection  $\varnothing$  16 x2  
Art. Nr. 5991990301083



**Kit 2 hooks polished stainless steel**

Art. Nr. 5991990010223










Measures for valves type Cordivari Elegant Square with thermostatic head and pipe centres 50 mm



**Pipe covering kit for Pipe Centres 50 mm - valves polished**

Art. Nr. 5103000000057



H [mm]	A [mm]	B [mm]
<b>650</b>	445	-
<b>1080</b>	397	478
<b>1500</b>	607	688
<b>1745</b>	731	810

## BABYLA POLISHED STAINLESS STEEL

Art. Nr.	Height		Width	Pipe Centres	Fixing kit centres	Dry Weight	Surface	Water Content	Thermal output Watt		Exponent n
	H [mm]	L [mm]							$\Delta t = 50^{\circ}\text{C}$	$\Delta t = 30^{\circ}\text{C}$	
3551730130014	<b>650</b>	600	50	445	5,5	0,51	2,3	156	83	1,2246	
3551730130011	<b>1080</b>	600	50	875	9,2	0,83	3,4	233	124	1,2351	
3551730130012	<b>1500</b>	600	50	1275	13,3	1,25	4,5	333	174	1,2687	
3551730130013	<b>1745</b>	600	50	1540	16,9	1,53	6,0	395	204	1,2904	

For output at different  $\Delta t$  than  $50^{\circ}\text{C}$ , please refer to the following formula = desired output = output at  $\Delta t 50^{\circ}\text{C} \times (\text{desired } \Delta t/50)^n$



# BABYLA

GOLD POLISHED STAINLESS STEEL

design **Mariano Moroni**

 **5 YEARS WARRANTY**

## MATERIAL:

Vertical collectors in polished stainless steel with  $\varnothing$  of 38 mm.  
Horizontal heating elements in polished stainless steel 30x10 mm.

## FIXING KIT:

Brackets, airvent, hexagonal tool, plugs and screws for mounting suitable for use on compact or hollow brick, installation notice.  
The fixing kit is compliant with VDI 6036 norm, class 4.

## PACKAGING:

The radiator is protected by a film in polyethylene and with a carton box.  
Use and maintenance notice included.

## FEATURES:

It is totally made in stainless steel with an unalterable finishing guaranteed during the years.  
Thermal outputs certified in accredited laboratories in compliance with European norm EN442.

## PRODUCT CERTIFICATES




P. max: 8 bar

T. max: 110° C

Available for central heating systems

Connections: n° 2 x G 1/2" - n° 1 x G 1/2"

## ACCESSORIES



**Elegant square gold polished valve kit pipe centres 50 mm with thermostatic head - right**

Copper connection  $\varnothing$  12/14/15  
Art. Nr. 5991990301089

Multilayer connection  $\varnothing$  16 x2  
Art. Nr. 5991990301091



**Elegant square manual polished gold valve kit**


Copper connection  $\varnothing$  12/14/15  
Art. Nr. 5991990301056

Multilayer connection  $\varnothing$  16 x2  
Art. Nr. 5991990301055










**Pipe covering kit for Pipe Centres 50 mm - valves polished gold**

Art. Nr. 5103000000087



Measures for valves type Cordivari Elegant Square with thermostatic head and pipe centres 50 mm



H [mm]	A [mm]	B [mm]
<b>650</b>	445	-
<b>1080</b>	397	478
<b>1500</b>	607	688
<b>1745</b>	731	810

## BABYLA GOLD POLISHED STAINLESS STEEL

Art. Nr.	Height	Width	Pipe Centres	Fixing kit centres	Dry Weight	Surface	Water Content	Thermal output Watt		Exponent n
	H [mm]	L [mm]	I [mm]	F [mm]	[Kg]	[m <sup>2</sup> ]	[lt]	$\Delta t = 50^{\circ}\text{C}$	$\Delta t = 30^{\circ}\text{C}$	
3551730130024	<b>650</b>	600	50	445	5,5	0,51	2,3	156	83	1,2246
3551730130021	<b>1080</b>	600	50	875	9,2	0,83	3,4	233	124	1,2351
3551730130022	<b>1500</b>	600	50	1275	13,3	1,25	4,5	333	174	1,2687
3551730130023	<b>1745</b>	600	50	1540	16,9	1,53	6,0	395	204	1,2904

For output at different  $\Delta t$  than  $50^{\circ}\text{C}$ , please refer to the following formula = desired output = output at  $\Delta t 50^{\circ}\text{C} \times (\text{desired } \Delta t/50)^n$